 Hits	Search Ouerv	DR	Default	Plurals	Time Ctamp	_
			Operator		dilipo pilili	
324	(313/511,512.ccls. 445/25.ccls.) and organic and (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3)))	US-PGPUB; USPAT	OR.	No	2006/02/20 17:36	
 4	("5076673" "5444557" "5882761" "6201346").PN. OR ("6628070").URPN.	US-PGPUB; USPAT; USOCR	OR.	N ·	2005/04/15 18:33	
m	("6390874" "6452576" "6677620").PN. OR ("6794815").URPN.	US-PGPUB; USPAT; USOCR	S S	NO	2005/04/15 18:42	
 ∞	("20020030440" "20020031602" "20020180344" "20030020844" "20030038590" "4862153" "5003222").PN. OR ("6819045").URPN.	US-PGPUB; USPAT; USOCR	S.	NO	2005/04/15 18:47	
 Ŋ	("20020086180" "4829213" "5814935" "5883465" "6140765").PN. OR ("6850006").URPN.	US-PGPUB; USPAT; USOCR	R	NO	2005/04/15 18:50	
 15865	((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3)))) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3))	US-PGPUB; USPAT	%	NO	2005/06/26 17:25	
 6905	((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and (cut\$4)	US-PGPUB; USPAT	S.	NO	2005/04/15 18:57	
 5930	((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) and ((element unit member diplay panle unit) with (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)))	US-PGPUB; USPAT	R.	NO	2005/04/15 18:58	
 6593	((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) and ((element unit member diplay panel unit) with (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3))	US-PGPUB; USPAT	R	NO	2005/04/15 18:59	

EAST Search History

2005/04/15 18:59	2005/04/15 19:00	2005/04/15 19:02	2005/04/15 19:02	2005/04/15 19:03	2005/04/15 19:09	2005/04/15 19:04
NO	NO .	NO .	No	N O	N O	N O
8	N N	S.	R	S R	OR.	SO.
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT	EPO; JPO; DERWENT
(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member diplay panel unit) with (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3))	(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3)))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member diplay panel unit) with (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and (plural multiple plurality)	(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3)))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member display panel unit) with (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((plural multi multiple plurality) with (element unit member display panel unit))	(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member display panel unit) with ((light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((plural multi multiple plurality) with (element unit member display panel unit))	(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member display panel unit) with ((light near3 (emission emitting emissive)) OLED electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((plural multi multiple plurality) with (element unit member display panel unit))	(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member display panel unit) with ((light near3 (emission emitting emissive)) OLED electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((plural multiple plurality) with (element unit member display panel unit)) and (cutting cut separat\$3)	(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member display panel unit) with ((light near3 (emission emitting emissive)) OLED electro\$luminescen\$3 (electro near3 luminescen\$3))) and ((plural multi multiple plurality) with (element unit member display panel unit))
1792	1596	1357	1039	1002	876	16
S10	S11	S12	S13	S14	S15	S16

7/6/2006 7:02:37 PM C:\Documents and Settings\msantiago\My Documents\EAST\Workspaces\106xxx\10620222.wsp

2005/04/15 19:10	2005/04/15 19:50	2005/04/15 19:50	2005/04/15 19:51	2005/04/15 19:53	2005/04/15 19:54	2005/04/15 20:06	2005/04/15 20:06	2005/04/15 20:02	2005/04/15 20:06
NO	NO	N _O	N O	N O	NO .	N O	NO O	N O	NO
% S	S S	OR	OR	S S	SO SO SO SO SO SO SO SO SO SO SO SO SO S	80	OR S	S S	OR
US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT
(((cap cover\$3) with (circuit\$3 ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) same (seal\$3 bond\$3 attach\$3)) and ((element unit member display panel unit) with ((light near3 (emission emitting emissive)) OLED electro\$\frac{1}{2}\$ luminescen\$\frac{1}{2}\$ (electro near3 luminescen\$\frac{1}{2}\$)) and ((plural multiple plurality) with (element unit member display panel unit)), and (cutting cut separat\$3) and ("438"/\$.ccls." "445"/\$.ccls." "349"/\$.ccls.)	("4816716" "4963002" "4988995" "5029984" "5686977" "5831387" "6005649").PN. OR ("6424092").URPN.	445/24,25.ccls. and (cap cover\$3)	445/24,25.ccls. and (cap cover\$3) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3))	445/24,25.ccls. and (cap cover\$3) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and (cutting cut sever\$3 dic\$3)	445/24,25.ccls. and (cap cover\$3) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((cutting cut sever\$3 dic\$3) same (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate))	445/24,25.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((cutting cut sever\$3 dic\$3) same (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate))	445/25.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and (cutting cut sever\$3 dic\$3)	("5684365" "5686360" "5757126" "5771562" "5811177" "5821692" "5855994" "5952778" "6075317" "6080031" "6103541" "6111357" "6121726" "6144157" "6146225" "6198217" "6226890" "6242116" "6302756" "6416888" "6524877").PN. OR ("6692326").URPN.	"438"/\$.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and (cutting cut sever\$3 dic\$3)
179	7	1379	745	528	352	271	81	. 21	3653
517	518	S19	S20	S21	222	S23	S24	S25	S26

EAST Search History

_	_	_				0				<u></u>		
2005/04/15 20:07	2005/04/15 20:07	2005/04/15 20:07	2005/04/15 20:08	2005/04/15 20:11	2005/04/15 20:11	2005/04/15 20:20	2005/06/26 16:47	2005/06/26 16:54	2005/06/26 16:50	2005/06/26 16:58	2005/06/26 16:59	2005/06/26 17:00
NO	NO	NO .	NO .	NO	N O	NO	N O	NO O	NO	N _O	NO	NO
OR	OR	OR	SO.	OR S	S S	OR	OR S	S S	OR.	S .	OR	OR
US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT	USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT	EPO; JPO; DERWENT	DERWENT	EPO; JPO; DERWENT	US-PGPUB; USPAT	US-PGPUB; USPAT
"438"/\$.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3) and ((cutting cut sever\$3 dic\$3) same (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$panel panel plate))	"257"/\$.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((cutting cut sever\$3 dic\$3) same (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate))	313/582.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3) and ((cutting cut sever\$3 dic\$3) same (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate))	313/512.ccls. and (cap cover) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3)) and ((cutting cut sever\$3 dic\$3) same (substrate back\$plate back\$panel face\$plate face\$panel front\$panel front\$plate rear\$plate rear\$panel panel plate))	("2003/0218422").URPN.	("2004/0007974").URPN.	("4104555" "4325489" "4357557").PN. OR ("4882518").URPN.	"20030017777"	(seal\$3 near3 (cap cover)) and (dicing cutting severing separating) and (electro\$luminescen\$3 EL OLED (light near3 (emitting emission emissive)))	2004-031264.NRAN.	(encapsulat\$3 near3 (cap cover)) and (dicing cutting severing separating) and (electro\$luminescen\$3 EL OLED (light near3 (emitting emission emissive)))	((seal\$3 encapsulat\$3) near3 (cap cover)) and (dicing cutting severing separating) and (electro\$luminescen\$3 EL OLED (light near3 (emitting emission emissive))) and (313/512,511.ccls. 445/24,25.ccls. 257/98-100.ccls.)	((seal\$3 encapsulat\$3) near3 (cap cover)) and (dicing diced cut severed cutting severing separating) and (electro\$luminescen\$3 EL OLED (light near3 (emitting emission emissive))) and (313/512,511.cds. 445/24,25.cds. 257/98-100.cds.)
2098	3932	124	. 169	0	0		H	17	H	Ŋ	89	117
227	828	829	230	S31	232	233	S34	232	S36	237	8238	839

7/6/2006 7:02:37 PM C:\Documents and Settings\msantiago\My Documents\EAST\Workspaces\106xxxx\10620222.wsp

S40	63	((seal\$3 encapsulat\$3) near3 (cap cover)) and ((dicing diced cut severed cutting severing separating) same (electro\$luminescen\$3 EL OLED (light near3 (emitting emission emissive)))) and (313/512,511.ccls. 445/24,25.ccls. 257/98-100.ccls.)	US-PGPUB; USPAT	e S	NO	2005/06/26 17:00
S	1956	((cap cover\$3) with (circuit\$3 (connect\$3 near3 (assembly pattern contact structure)) ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3))	EPO; JPO; DERWENT	OR	NO O	2005/06/26 17:26
S42	70	(((seal\$3 encapsulat\$3) near3 (cap cover\$3)) with (circuit\$3 (connect\$3 near3 (assembly pattern contact structure)) ((driv\$3 electronic\$3) near3 (component member circuit\$3 element connect\$3))) and (LED (light near3 (emission emitting emissive)) OLED EL electro\$luminescen\$3 (electro near3 luminescen\$3))	EPO; JPO; DERWENT	Q R	N O	2005/06/26 17:40
S43	4	"6080031"	US-PGPUB; USPAT	N S	N O	2005/06/26 17:45
\$	66	(epoxy with (UV ultra\$violet (ultra near3 violet))) and 313/512.ccls.	US-PGPUB; USPAT	OR	NO	2006/06/30 16:29
S45	18	(US-20010052752-\$ or US-20030218422-\$ or US-20040070338-\$ or US-20040121516-\$ or US-20040160178-\$ or US-20040201347-\$ or US-20050040762-\$).did. or (US-3976906-\$ or US-6080031-\$ or US-6424092-\$ or US-6628070-\$ or US-6692326-\$ or US-6764369-\$ or US-6794815-\$ or US-6819045-\$).did. or (JP-11224774-\$ or JP-2000223267-\$ or	US-PGPUB; USPAT; JPO	RO	NO O	2005/07/06 13:35
S46	Φ.	("5635672" "5757126" "5771562").PN. OR ("6080031").URPN.	US-PGPUB; USPAT; USOCR	OR	NO	2006/02/09 18:05
247	2221	((can cover encapsulant envelope) with transparent) and (electro\$luminescen\$3 EL LED OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) and (device display panel)	EPO; JPO; DERWENT	9K	NO	2006/02/09 18:06
S48	1923	((can cover encapsulant envelope) with transparent) and (electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) and (device display panel)	EPO; JPO; DERWENT	S S	NO	2006/02/09 18:07

EAST Search History

2006/02/09 18:07	2006/02/09 18:10	2006/02/09 18:10	2006/02/09 18:20	2006/02/09 19:56	2006/02/09 19:56	2006/02/09 19:56	2006/02/09 19:56	2006/02/10 12:41	2006/02/10 12:41	2006/02/10 12:49	2006/02/10 13:13	2006/02/10 13:15	2006/02/10 16:29
N _O	NO O	NO O	NO	N O	N O	NO	S	N O	NO O	NO	NO	NO	NO
S.	R	R	8	OR M	S S	R	OR.	& S	8 S	OR	OR	S S	OR
EPO; JPO; DERWENT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	DERWENT	DERWENT	EPO; JPO; DERWENT	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT	EPO; JPO; DERWENT
((cover encapsulant envelope) with transparent) and (electro\$luminescen\$3 ELOLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) and (device display panel)	((cover cap) with transparent) and (electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) and (device display panel)	((cover cap) with transparent) and (electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) and (device display panel) and organic	((cover cap) with transparent) and (electro\$luminescen\$3 EL led OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) and (device display panel) and organic	"2000243555"	"2002050471"	2003-338849.NRAN.	2002-248722.NRAN.	"09219288"	"5814935".pn.	("5703394" "5731661").PN. OR ("5814935").URPN.	("20020086180" "4829213" "5814935" "5883465" "6140765").PN. OR ("6850006").URPN.	"609074" "996314" "1109224" "1253653" "09274990" "11354272" "2000030858" "2000243555" "2001291580" "2001189191" "2000010172" "0069002" "0221557"	"609074" "996314" "1109224" "1253653" "09274990" "11354272" "2000030858" "2000243555" "2001291580" "2001189191" "20000010172"
1167	1231	229	235	2	m	-	-	2	+	∞	Ŋ	88	39
S49	220	S51	252	S53	S54	S55	S26	257	828	S29	098	S61	295

7/6/2006 7:02:37 PM C:\Documents and Settings\msantiago\My Documents\EAST\Workspaces\106xxxx\10620222.wsp

S 63	49	"0069002" "0221557"	EPO; JPO; DERWENT	OR	NO	2006/02/10 13:15
S64	4	"200069002" "200221557"	EPO; JPO; DERWENT	8	NO	2006/02/10 13:15
265	H	"6956325".pn.	US-PGPUB; USPAT	OR.	S	2006/02/10 16:30
998	m	("6390874" "6452576" "6677620").PN. OR ("6794815").URPN.	US-PGPUB; USPAT; USOCR	S S	NO	2006/02/10 18:32
295	o	("2222788" "3693252").PN. OR ("3976906").URPN.	US-PGPUB; USPAT; USOCR	OR	NO	2006/02/10 18:42
898	0	"2004030978"	US-PGPUB; USPAT	OR	N O	2006/02/10 18:42
698	2	"2004030978"	EPO; JPO; DERWENT	OR	N O	2006/02/10 18:42
S70	o	("4816716" "4963002" "4988995" "5029984" "5686977" "5831387" "6005649").PN. OR ("6424092").URPN.	US-PGPUB; USPAT; USOCR	OR	NO	2006/02/10 18:56
571	4.	("5076673" "5444557" "5882761" "6201346").PN. OR ("6628070").URPN.	US-PGPUB; USPAT; USOCR	S.	NO	2006/02/10 18:58
S72	H	2000-606767.NRAN.	DERWENT	8 R	NO	2006/02/20 18:17
S73	77	((UV ultra?violet (ultra near3 violet)) and (seal\$3 bond\$3 attach\$3 bind\$3)). clm. and (445/24,25.ccls. 313/512.ccls.)	US-PGPUB; USPAT	OR	NO	2006/06/30 16:41
S74	2	"6424092.pn" "6080031".pn. "6049167".pn.	US-PGPUB; USPAT	OR	NO	2006/06/30 16:42
S75	m	"6424092".pn. "6080031".pn. "6049167".pn.	US-PGPUB; USPAT	OR	NO	2006/06/30 16:42

EAST Search History

2	2008/30 IV:00	ON 2006/06/30 17:02	ON 2006/06/30 17:06	ON 2006/06/30 17:10	ON 2006/06/30 17:47	ON 2006/06/30 17:52	ON 2006/06/30 20:28	ON 2006/06/30 17:54	ON 2006/06/30 17:54	ON 2006/06/30 20:29
\vdash		B; OR	B; OR	IB; OR	B, OR	S,F	% F	.;_ 	- S. – R.	A A
ים טו	USPAT; USPAT; JPO; DERWENT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	EPO; JPO; DERWENT	epo; jpo; Derwent
\vdash	US-20040201347-\$ or US-20040121310-\$ or US-2003021042-\$ or US-20040201347-\$ or US-20040201347-\$ or US-20040201347-\$ or US-20010052752-\$).did. or (US-6794815-\$ or US-6850006-\$ or US-5814935-\$ or US-6764369-\$ or US-6424092-\$ or US-6628070-\$ or US-6080031-\$ or US-6692326-\$).did. or (JP-2004030978-\$ or JP-11224774-\$ or JP-11354272-\$).did. or (JP-2002050471-\$ or	S76 and (UV ultra?violet (ultra near3 violet))	(313/512.ccls. 442/24,25.ccls.) and ((UV ultra?violet (ultra near3 violet)) with (seal\$3 attch\$3 bond\$3 bind\$3))	(313/512.ccls. 442/24,25.ccls.) and (UV ultra?violet (ultra near3 violet)) and ((light source beam radiat\$3) with (curing cured seal\$3 attach\$3 bond\$3 bind\$3))	(313/512.ccls. 442/24,25.ccls.) and (UV ultra?violet (ultra near3 violet)) and (((light source beam radiat\$3) with (curing cured seal\$3 attach\$3 bond\$3 bind\$3)) same (cap cover encapsulat\$3))	(UV ultra?violet (ultra near3 violet)) and (((light source beam radiat\$3) with (curing cured seal\$3 attach\$3 bond\$3 bind\$3)) same (cap cover encapsulat\$3)) and ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) near3 (device panel element display))	(UV ultra?violet (ultra near3 violet)) and (((light source beam irradiat\$3 radiat\$3) same (curing cured seal\$3 attach\$3 bond\$3 bind\$3)) same (cap cover top enclosure encapsulat\$3)) and ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) near3 (device panel element display))	S81 not S81	S82 not S81	(UV ultra?violet ultraviolet (ultra near3 violet)) and ((curing cured seal\$3 attach\$3 bond\$3 bind\$3) same (cap cover top enclosure encapsulat\$3)) and ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) near3 (device panel element
10	.	9	120	210	98	18	33	0	15	105
27.2	2	S77	878	S79	280	581	282	283	S84	285

7/6/2006 7:02:37 PM C:\Documents and Settings\msantiago\My Documents\EAST\Workspaces\106xxx\10620222.wsp

. 988	107	(UV ultra?violet ultraviolet (ultra near3 violet)) and ((curing cured seal\$3 hardening attach\$3 bond\$3 bind\$3) same (cap cover top enclosure encapsulat\$3)) and ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near3 (emitting emission emissive))) near3 (device panel element display))	EPO; JPO; DERWENT	8	NO	2006/06/30 20:30
287	74	S86 not S82	EPO; JPO; DERWENT	OR	<u>N</u> .	2006/06/30 20:36
288	2	2 "2002198173"	EPO; JPO; DERWENT	OR	N O	2006/06/30 20:36
289	-	1 2002-580428.NRAN.	DERWENT	OR S	NO	2006/06/30 20:36
290	1	2004-398414.NRAN.	DERWENT	OR.	N O	2006/06/30 20:49